

STANDARD 4U RIBBONS

Economical Wax 4U 100					
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
60	300	1 inch (25 mm)	CSO (ink outside)	10060300O	24
60	450	1 inch (25 mm)	CSO (ink outside)	10060450O	18
70	300	1 inch (25 mm)	CSO (ink outside)	10070300O	12
70	450	1 inch (25 mm)	CSO (ink outside)	10070450O	9
80	300	1 inch (25 mm)	CSO (ink outside)	10080300O	12
80	450	1 inch (25 mm)	CSO (ink outside)	10080450O	9
90	450	1 inch (25 mm)	CSO (ink outside)	10090450O	9
104	300	1 inch (25 mm)	CSO (ink outside)	100104300O	12
104	450	1 inch (25 mm)	CSO (ink outside)	100104450O	9
104	450	1 inch (25 mm)	CSI (ink inside)	100104450I	9
110	74	1/2 inch (13 mm)	CSO (ink outside)	10011074OH2	36
110	300	1 inch (25 mm)	CSO (ink outside)	100110300O	12
110	300	1 inch (25 mm)	CSI (ink inside)	100110300I	12
110	360	1 inch (25 mm)	CSI (ink inside)	100110360I	10
110	450	1 inch (25 mm)	CSO (ink outside)	100110450O	9
110	450	1 inch (25 mm)	CSI (ink inside)	100110450I	9
154	300	1 inch (25 mm)	CSO (ink outside)	100154300O	10
154	450	1 inch (25 mm)	CSO (ink outside)	100154450O	6
154	450	1 inch (25 mm)	CSI (ink inside)	100154450I	6

STANDARD 4U RIBBONS

Premium Wax 4U 120					
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
60	300	1 inch (25 mm)	CSI (ink inside)	12060300I	24
60	300	1 inch (25 mm)	CSO (ink outside)	12060300O	24
60	450	1 inch (25 mm)	CSI (ink inside)	12060450I	18
60	450	1 inch (25 mm)	CSO (ink outside)	12060450O	18
70	450	1 inch (25 mm)	CSO (ink outside)	12070450O	9
80	300	1 inch (25 mm)	CSO (ink outside)	12080300O	12
80	450	1 inch (25 mm)	CSI (ink inside)	12080450I	9
80	450	1 inch (25 mm)	CSO (ink outside)	12080450O	9
90	450	1 inch (25 mm)	CSO (ink outside)	12090450O	9
90	450	1 inch (25 mm)	CSI (ink inside)	12090450I	9
104	300	1 inch (25 mm)	CSO (ink outside)	120104300O	12
104	450	1 inch (25 mm)	CSI (ink inside)	120104450I	9
104	450	1 inch (25 mm)	CSO (ink outside)	120104450O	9
110	300	1 inch (25 mm)	CSI (ink inside)	120110300I	12
110	300	1 inch (25 mm)	CSO (ink outside)	120110300O	12
110	360	1 inch (25 mm)	CSI (ink inside)	120110360I	10
110	450	1 inch (25 mm)	CSI (ink inside)	120110450I	9
110	450	1 inch (25 mm)	CSO (ink outside)	120110450O	9
110	74	1/2 inch (13 mm)	CSO (ink outside)	12011074OH2	40
154	300	1 inch (25 mm)	CSO (ink outside)	120154300O	10
154	450	1 inch (25 mm)	CSI (ink inside)	120154450I	6
154	450	1 inch (25 mm)	CSO (ink outside)	120154450O	6

STANDARD 4U RIBBONS

Economical Wax resin 4U 250					
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
60	300	1 inch (25 mm)	CSO (ink outside)	25060300O	24
60	450	1 inch (25 mm)	CSO (ink outside)	25060450O	18
80	450	1 inch (25 mm)	CSO (ink outside)	25080450O	9
110	450	1 inch (25 mm)	CSI (ink inside)	250110450I	9
110	300	1 inch (25 mm)	CSI (ink inside)	250110300I	12
110	300	1 inch (25 mm)	CSO (ink outside)	250110300O	12
110	450	1 inch (25 mm)	CSO (ink outside)	250110450O	9
110	74	1/2 inch (13 mm)	CSO (ink outside)	25011074OH2	36
154	300	1 inch (25 mm)	CSO (ink outside)	250154300O	10
154	450	1 inch (25 mm)	CSO (ink outside)	250154450O	6

STANDARD 4U RIBBONS

Premium Wax resin 4U 200					
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
60	300	1 inch (25 mm)	CSO (ink outside)	20060300O	24
60	360	1 inch (25 mm)	CSI (ink inside)	20060360I	20
60	450	1 inch (25 mm)	CSO (ink outside)	20060450O	18
60	450	1 inch (25 mm)	CSI (ink inside)	20060450I	18
70	450	1 inch (25 mm)	CSO (ink outside)	20070450O	9
80	450	1 inch (25 mm)	CSO (ink outside)	20080450O	9
90	300	1 inch (25 mm)	CSO (ink outside)	20090300O	12
90	450	1 inch (25 mm)	CSO (ink outside)	20090450O	9
110	74	1/2 inch (13 mm)	CSO (ink outside)	20011074OH2	36
110	300	1 inch (25 mm)	CSO (ink outside)	200110300O	12
110	300	1 inch (25 mm)	CSI (ink inside)	200110300I	12
110	450	1 inch (25 mm)	CSO (ink outside)	200110450O	9
154	300	1 inch (25 mm)	CSO (ink outside)	200154300O	10
154	450	1 inch (25 mm)	CSO (ink outside)	200154450O	6

Economical Resin 4U 300					
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
110	300	1 inch (25 mm)	CSO (ink outside)	300110300O	12

STANDARD 4U RIBBONS

Premium Wax resin		4U 411	Near edge		
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
33	600	1 inch (25 mm)	CSO (ink outside)	41133600OP2	28
33	600	1 inch (25 mm)	CSI (ink inside)	41133600IP2	28
55	600	1 inch (25 mm)	CSO (ink outside)	41155600OP2	14
55	600	1 inch (25 mm)	CSI (ink inside)	41155600IP2	14
110	600	1 inch (25 mm)	CSO (ink outside)	411110600OP2	7
110	600	1 inch (25 mm)	CSI (ink inside)	411110600IP2	7

High speed Wax resin		4U 431	Near edge		
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
33	600	1 inch (25 mm)	CSO (ink outside)	43133600OP2	28
33	600	1 inch (25 mm)	CSI (ink inside)	43133600IP2	28
55	600	1 inch (25 mm)	CSO (ink outside)	43155600OP2	14
55	600	1 inch (25 mm)	CSI (ink inside)	43155600IP2	14
110	600	1 inch (25 mm)	CSO (ink outside)	431110600OP2	7
110	600	1 inch (25 mm)	CSI (ink inside)	431110600IP2	7

High speed Resin 4U		600	Near edge		
Width (mm)	Length (meter)	Core Size	Winding	Product number	Rolls per box
33	600	1 inch (25 mm)	CSO (ink outside)	60033600OP2	28
33	600	1 inch (25 mm)	CSI (ink inside)	60033600IP2	28
55	600	1 inch (25 mm)	CSO (ink outside)	60055600OP2	14
55	600	1 inch (25 mm)	CSI (ink inside)	60055600IP2	14
110	600	1 inch (25 mm)	CSO (ink outside)	600110600OP2	7